

Print date	10.04.2024
Revision date	09.04.2024
Version	1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation CeramixCast

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Sector of uses [SU]

Light curing resin for ResiniFy Technology's family Computer Aided Modeling Devices

1.3 Details of the supplier of the safety data sheet

Importer/Only Representative

ResiniFy Technology LLC

22350 W. Warren Ave.

Detroit MI 48239 USA

support@ResiniFyTechnology.com

1.810.888 7373

www.ResiniFyTechnology.com

1.4 Emergency telephone number

This number is serviced during office hours.

SECTION 2: Hazards identification

Hazards description

Hazard designation:

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

2.1 Classification of the substance or mixture

Additional information

No information available for acute dermal and inhalative toxicity

Classification according to Regulation (EC) No 1272/2008 [CLP]

health hazards

Skin Irrit. 2

hazard statements for health hazards

H315 Causes skin irritation.

health hazards

Eye Irrit. 2

hazard statements for health hazards

H319 Causes serious eye irritation.

health hazards

Skin Sens. 1 **hazard statements for**

health hazards H317 May cause an

allergic skin reaction.

Environmental hazards

Aquatic Chronic 3

hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling

Phosphine oxide

Hazard pictograms



GHS07

GHS09

Signal word

Warning

Hazard statements hazard statements for health hazards

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319

Causes serious eye irritation.

Hazard statements for environmental hazards H412

Harmful to aquatic life with long lasting effects.

Precautionary statements

General:

P101 If medical advice is needed, have product container or label at hand. P102

Keep out of reach of children.

Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Disposal:

P501 Dispose of contents/container to industrial incineration plant. **Product**

identifiers

Phosphine oxide

2.3 Other hazards

Other adverse effects

People who suffer from skins problems, asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance. Process vapours can irritate airways, skin and eyes.

SECTION 3: Composition / information on ingredients

Additional information

CeramixCast

Print date	10.04.2024
Revision date	09.04.2024
Version	1

Full text of H- and EUH-statements: see section 16.

3.1/3.2 Substances/Mixtures

Hazardous ingredients

Methacrylated oligomer	50 - 90 %
Skin Irrit. 2, H315 / Eye Irrit. 2, H319	
Methacrylated monomer	5 - 40 %
Skin Irrit. 2, H315 / Eye Irrit. 2, H319	
Phosphine oxide	1 - 2 %
Skin Sens. 1, H317 / Aquatic Chronic 4, H413	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change contaminated, saturated clothing.

Following inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still.

If breathing is irregular or stopped, administer artificial respiration. **Following skin contact**

Wash immediately with: Water
and soap

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

If swallowed, immediately drink:

Water. Induce vomiting when the affected person is not unconscious.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

No symptoms known up to now.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Additional information

The product itself is not combustible. In case of fire and/or explosion do not breathe fumes.

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂) Dry
extinguishing powder.

Foam

Water spray

Print date	10.04.2024
Revision date	09.04.2024
Version	1

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Special protective equipment for firefighters In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Personal precautions

Wear personal protection equipment. Remove all sources of ignition.

For emergency responders

Personal protection equipment

Use appropriate respiratory protection.

6.2 Environmental precautions

Do not empty into drains or the aquatic environment.

6.3 Methods and material for containment and cleaning up

For containment

Suitable material for taking up

Absorbing material, organic
Sand

For cleaning up

Suitable material for diluting or neutralizing

Water

6.4 Reference to other sections

No data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Provide eye shower and label its location conspicuously

Protective measures

Advices on safe handling

Avoid:
Skin contact
Eye contact

CeramixCast

Print date	10.04.2024
Revision date	09.04.2024
Version	1

Always close containers tightly after the removal of product.

Measures to prevent fire

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Environmental precautions See section 8.

7.2 Conditions for safe storage, including any incompatibilities

Hints on joint storage

Materials to avoid

Materials to avoid

Oxidising agent

Strong alkali

Alcohols

Reducing agent

Storage class

No storage class

Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place. Protect containers against damage. Protect against:

UV-radiation/sunlight.

storage temperature

Value 10 - 40 °C

7.3 Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No data available

8.2 Exposure controls

Appropriate engineering controls

Structural measures to prevent exposure

Do not use above following temperatures:

Personal protection equipment

Eye/face protection

Suitable eye protection

Eye glasses with side protection goggles

Skin protection


Suitable gloves type

Disposable gloves

Suitable material

NBR (Nitrile rubber)

Body protection



CeramixCast


Print date	10.04.2024
Revision date	09.04.2024
Version	1

Suitable protective clothing

Lab apron. Lab coat.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.



CeramixCast

Print date 10.04.2024
Revision date 09.04.2024
Version 1

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state

liquid

Colour

yellow green

dark green

yellow-orange

orange

Odour

	parameter	Method - source - remark
Evaporation rate		not determined
Melting point/freezing point		not determined
Boiling point or initial boiling point and boiling range	>100 °C	
flammability		not determined
Upper explosion limit		not determined
lower explosion limit		not determined
Flash point (°C)	>100 °C	
Auto-ignition temperature		not determined
Decomposition temperature		not determined
pH	6.8 - 7.2	Temperature 25 °C
Soluble (g/L) in		Isopropyl alcohol: Soluble in:
Soluble (g/L) in		Insoluble in:
Fat solubility		not determined
Water solubility		not determined
Partition coefficient: n-octanol/water		not determined
Vapour pressure	0.0018 mm Hg	Temperature 25 °C
Vapour density		not determined
Relative density	1.08 - 1.12 g/cm ³	Temperature 25 °C

CeramixCast

Print date
10.04.2024
Revision date
09.04.2024
Version
1

	parameter	Method - source - remark
Dynamic viscosity	200 - 400 mPa*s	Temperature 25 °C
flow time		not determined
Kinematic viscosity		not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

In case of light influence:

Danger of polymerisation

10.5 Incompatible materials

Materials to avoid

Reacts with :

Oxidizing agents. Reducing agents. Peroxides.

Radical former

10.6 Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

Carbon dioxide

Carbon monoxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity



CeramixCast

Print date 10.04.2024
Revision date 09.04.2024
Version 1

Acute dermal toxicity ingredient

Phosphine oxide **Acute dermal toxicity** >2000 mg/kg

Effective dose

LD50:

Species:

Rat

Method

OECD 402

Acute oral toxicity ingredient

Phosphine oxide **Acute oral toxicity** >2000 mg/kg

Effective dose

LD50:

Species:

Rat

Method

OECD 401

Serious eye damage/irritation

In vitro eye test slightly irritant

Species:

Rabbit.

Respiratory or skin sensitisation

Skin sensitisation

Assessment/classification

May cause sensitization by inhalation and skin contact.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Acute (short-term) fish toxicity ingredient

Phosphine oxide **Acute (short-term) fish toxicity** >90 mg/L

Effective dose

LC50:

Test duration 96 h

species Danio rerio (zebrafish)

Method

CeramixCast

Print date
10.04.2024
Revision date
09.04.2024
Version
1

OECD 203

Acute (short-term) toxicity to crustacea

ingredient Phosphine oxide

Acute (short-term) toxicity to crustacea >1175 mg/L

Effective dose

EC50

Test duration 48 h **species**

Daphnia magna (Big water flea)

Method

OECD 202



CeramixCast

Print date 10.04.2024
Revision date 09.04.2024
Version 1

Toxicity to other aquatic plants/organisms

ingredient Phosphine oxide

Acute (short-term) toxicity to algae and cyanobacteria >=260 mg/L

Effective dose

EC50

Test duration 72 h species

Lemna minor (little duckweed) **12.2**

Persistence and degradability No information available.

12.3 Bioaccumulative potential

Assessment/classification not readily biodegradable (according to OECD criteria) **12.4**

Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available. **12.6**

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

Before intended use

Appropriate disposal / Package

Handle contaminated packaging in the same way as the substance itself.

Waste code product 070208 **hazardous waste** Yes. **Waste name**

other still bottoms and reaction residues

After intended use

Appropriate disposal / Product


Waste disposal according to official state regulations.

Waste code packaging 070208 **hazardous waste** Yes. **Waste name**

other still bottoms and reaction residues

SECTION 14: Transport information

Land transport (ADR/RID) Sea transport (IMDG) Air transport (ICAO-TI / IATADGR)



CeramixCast

Print date 10.04.2024
Revision date 09.04.2024
Version 1

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATADGR)
14.1 UN-No.	not applicable	not applicable	not applicable
14.2 Proper Shipping Name	not applicable	not applicable	not applicable
14.3 Class(es)	not applicable	not applicable	not applicable
14.4 Packing group	not applicable	not applicable	not applicable
14.5 ENVIRONMENTALLY HAZARDOUS	not applicable	not applicable	not applicable
14.6 Special precautions for user	not applicable	not applicable	not applicable
14.7 Maritime transport in bulk according to IMO instruments	not applicable	not applicable	not applicable

Additional information - Land transport (ADR/RID)

remark

Not a hazardous material with respect to these transportation regulations.

Additional information - Air transport (ICAO-TI / IATA-DGR)

remark

Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

Irritant

SECTION 16: Other information

Additional information

Observe labels and safety data sheets for chemicals used in processing. Notice the directions for use on the label.

Relevant R-, H- and EUH-phrases (Number and full text)

H317 May cause an allergic skin reaction.


H413 May cause long lasting harmful effects to aquatic life.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Key literature references and sources for data



CeramixCast

Print date	10.04.2024
Revision date	09.04.2024
Version	1

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.